The VL500 series of wet and dry vacuum cleaners offers performance and reliability that ensures low total cost of ownership and at the same time has features making daily cleaning tasks easier, faster and safer. VL500 is ideally suited for hotels, contract cleaners, education, exhibition and conference centers as well as public buildings, manufacturing and industrial applications. A failsafe filter design makes operation easy due to the ability to have individual wet and dry filters working simultaneously. Each filter is specific for either a wet or dry application ensuring maximum performance. With the special dual filtration system, Nilfisk VL500 can be used in whatever environment, wet or dry, without the need to change filters. The unique design and features of VL500 is developed in partnership with Nilfisk customers. The VL500 is available in different configurations and various container sizes; 35, 55 and 75 liter.Go to the specific factsheet for further information.

- Quick release adjustable push handle for easy and ergonomic maneuvering of the machine
- Emptying the container without having to remove the motor head makes operation fast and easy without risk of damage to critical components



Picture shown may not represent model quoted

- By transferring the weight as you lift the container, the Nilfisk Ergo Tipping system enables you to empty a completely filled container of fluid without excessive effort
- · Easy changing of filters with the hinged motor head protects the machines and speeds up the process
- The VL500 can be used in both wet or dry applications without the need to change filters
- · One year commercial warranty

#### Standard equipment

	Included accessories	Ref. no.	Min. required	VL500 75-2 EDF
Hose Vacuum	Cleaner			
9	HOSE D40 2.5M CPL	107407336	1	•
Vac Nozzle W	let .			
1	FLOOR NOZZLE D40 RUBBER	107407338	1	
Hard Floor No	zzie			
	FLOOR NOZZLE D40 BRUSH	107407339	1	•
Crevice Nozz	е			
	CREVICE NOZZLE D40	107408850	1	•
Filter				
	CARTRIGE FILTER 75L	107407300	1	•
	SACK FILTER 55-75L	107407304	1	
Special Filter				



	Included accessories	Ref. no.	Min. required	VL500 75-2 EDF
0	WET FILTER 75L	107407302	1	•
Tube				
	EXTENSION TUBE D40 - SS	107407337	1	•
Other				
	TUBEHOLDER D40	107407335	1	•

Model VL500 75-2 EDF

Ref. no. 107405185

### PRODUCT FEATURES

TRODUCT EATORED	
Dual power	•
Tube holder	•
Dual filter system	•
Folding transport handle	•
Adjustable handle	•
Storage of accessories	•
Drain hose	•
Ergo tipping	•

Technical specifications	VL500 75-2 EDF
Plug type	AU/NZ
Cable length (m)/ plug type	10/AUS
Voltage (V)	220-240
Frequency (Hz)	50
Voltage/frequency (V/Hz)	220-240/50
IP protection class	IP24
Rated power (W)	2500
Power Piec (W)	2400
Suction power end of tube (W)	200
Airflow (L/sec)	72
Vacuum at nozzle (kPa)	21
Sound pressure level (dB(A) BS 5415)	66
Sound power level (dB(A) IEC 704)	84
Cable length (m)	10



Technical specifications	VL500 75-2 EDF
Tank capacity (L)	75
Dust bag capacity (L)	44
Sack filter area (cm²)	-
Wet filter area (cm²)	1840
Cartridge filter area (optional) (cm²)	4410
Hose length (m)	2.5
Inlet (mm)	40
Length x width x height (mm)	660x620x1030
Weight (kg)	28.5

ullet Standard equipment,  ${}^\bigcirc$  Supplementary accessories,  ${}^\square$  Mountable equipment

	Accessories	Ref. no.	Min. required	VL500 75-2 EDF
Other				
8.33 T	PUMP KIT 220/240V	107408801	1	
	TUBEHOLDER D40	107407335	1	•
Tube				
	EXTENSION TUBE D40 - SS	107407337	1	•
Filter Bag				
8	FLEECE FILTERBAG PU 5 PCS	302002892	1	0
Squeegee, B	ade, Skirt and Splash Guard			
	SQUEEGEE COMPLETE	107407051	1	0
Filter				
	CARTRIGE FILTER 75L	107407300	1	•
	HEPA CARTRIDGE FILTER	107409007	1	0
	SACK FILTER 55-75L	107407304	1	
Special Filter				
0	WET FILTER 75L	107407302	1	•
Crevice Nozz	le			
	CREVICE NOZZLE D40	107408850	1	•



	Accessories	Ref. no.	Min. required	VL500 75-2 EDF
Hard Floor Nozzle				
	FLOOR NOZZLE D40 BRUSH	107407339	1	•
Hose Vacuun	n Cleaner			
9	HOSE D40 2.5M CPL	107407336	1	•
Vac Nozzle Wet				
1	FLOOR NOZZLE D40 RUBBER	107407338	1	0
System 50 Hose Vacuum Cleaner				
	CONNECTOR	6330	0	0
	HOSE CUFF 50MM	15101	0	0
	SUCTION HOSE 50MM PER MTR	11984	0	0

