## **B2 AIR deburring system**

Maximum bevel width 2 mm / 0.08 in. Edge rounding function.





















## Designed for deburring and rounding edges of steel, stainless steel, aluminum and other workpieces. Suitable for machining holes from the internal diameter of 7 mm / 0.27 in.

■ Compact design, great ergonomics

Weight only 400 g / 0.88 lb

Edge machining by rounding R1.5 mm / 0.06 in - edge preparation before painting

Powerful and reliable pneumatic drive

Precision machining scale for more precise machining

## Technical data:

Bevel angle: 45°

Bevel width (hypotenuse): 2 mm / 0.08 in as a maximum

Rounding radius: R 1,5 mm / 0.06 in 23,000 rpm. Speed

Feeding: manual Air consumption 320 l/min

Dimensions: 112 x 60 x 48 mm / 4.4 x 2.36 x 1.9 in

400 g / 0.88 lb Weight:

Number of cutting inserts: 3 pcs

## Included in price:

B2 AIR deburring system - fitted with head with cutting inserts.

Tools for an operator. Packed in a cardboard box. User manual.

Machine name:

Art. Nr. B2 AIR deburring system - fitted with head with cutting inserts 24200





Accessories:	Art. Nr.
ECO Inserts B2 AIR (pack of 10 pcs)	24201
Inserts radius R1.5mm / 0.06 in (pack of 10 pcs)	24202
PREMIUM Inserts B2 AIR, coated (pack of 10 pcs)	24204
Pneumatic set with quick couplings (contains: FRL - filtration, regulator and lubrication unit, quick couplings, hoses 10 m)	24203
Screw for the inserts	7252F-04
Milling head	24205









Art. Nr. 24204

Art. Nr. 24202

Art. Nr. 24203

